

F.O.H

1 X 40 CH MIXER MIDAS LEGEND/ 3000 40/8/2 MIN. 6 AUX.

2 X YAMAHA SPX 900/100/990

1 X LEXICON PCM.70

1 X ROLAND SDE 3000/3300

5 X DRAWMER GATES

6 X DBX 160 COMPRESSOR

1 X STEREO BSS/KLARK DN 360 EQ.

1 X CD PLAYER

1 X DAT PLAYER

CONSOLE TO BE PLACED NO CLOSER THAN 30m AND NOT FURTHER 40m
AND IN CENTRE OF PA STACKS

SPEAKERS AND AMPS

LINE ARRAY – McCAULEY, VDOS, KUDOS, MEYER

AMCRON MACROTEC AMPS

PA SHOULD BE BIG ENOUGH FOR FULL CAPACITY VENUE WITHOUT
HAVING TO BLAST AND DISTORT PEOPLE OUT OF THERE SEATS

FRONT FILL

IF STAGE IS WIDER THAN 12m THEN A SMALL STEREO FILL MUST BE
ADDED TO THE SYSTEM.

MONITORS

1 X 32 CH. MIDAS SENNA MONITOR CONSOLE
MIN. 10 SENDS

9 X 15" MONITORS & CUE WEDGE NEXO PS 15

1 X 15" CUE WEDGE

10 X 31 BAND E.Q.

1 X REV. SPX

1 X MONITOR ENGINEER MUST SPEAK ENGLISH

MICS SEE PATCH LIST

POWER

SOUND COMPANY TO PROVIDE ALL POWER DISTRIBUTION TO STAGE
AND F.O.H.

DRUMMER :

DRUM KIT :

YAMAHA MAPLE

1 x 22" BASS DRUM

1 x SNARE DRUM PLUS STAND

1 x 10" TOM 1

1 x 12" TOM

1 x 14" FLOOR TOM

**7 x CYMBAL BOOM STANDS (HEAVY
DUTY)**

2 x RIDE CYMBAL 18" & 16"

2 x CRASH 18" & 20"

1 x SPLASH

1 x SET 14" HIHATS

1 x DRUM THRONE & CARPET

Please note all cymbals must be ZILDJIAN

BASS PLAYER :

BASS RIG :

SWR. 4 X 10

18" CAB

1 X GUITAR STAND

KEYBOARD PLAYER :

ROLAND RD 700

YAMAHA MOTIF (WE WILL BRING)

SAX PLAYER :

Two (2) microphone lines.

Two pin plug electrical lead with six (6) inputs.

F.O.H.				MONITOR		
CH	INSTRUMENT	MIC	INSERT	CH	INSTRUMENT	INSERT
1	KICK	SM 52	GATE/COMP	1	IF 32 CH	
2	SNARE	SM 57	GATE/COMP	2	MIXER THE	
3	HAT	CK45I		3	SAME AS	
4	TOM 1	SM 98	GATE	4	F.O.H.	
5	TOM 2	SM 98	GATE	5		
6	FLOOR	SM 98	GATE	6		
7	O.H LEFT	CK451		7		
8	O.H RIGHT	CK451		8		
9	KEY 1 RD	DI		17		
10	KEY 2 MOTIF	DI		18		
11	SAX RADIO	58		19		
12	SAX SAP TOP	58		20		
13	SAX SAP BOTT	58		21		
14	SAX VOX	58		22		
15	KEY VOX	58		23		
16	MAIN VOX	58	COMP	27		
17	EFX 1 L			28		
18	EFX 1 R			29		
19	EFX 2 L			30		
20	EFX 2 R			31		
21	EFX 3 L			32		
22	EFX 3 R			33		
23	CD STEREO			34		